

Lecture: Quick introduction to Stata

222061-1617: Time Series Econometrics

Spring 2021

Jacek Suda

Outline

Outline:

- 1 Introduction
- 2 Getting data into Stata
- 3 Statistics and graphs
- 4 ARMA Estimation

Stata

- Stata is an integrated statistical analysis package
- Its main strengths are handling and manipulating large data sets
- Stata is a command-driven package: the best way to learn Stata is by typing in the commands.
- Commands can be entered in either of three ways:
 - Interactively: click through the menu on top of the screen
 - Manually: type the first command in the command window and execute it, then the next, then the next,...
 - Do-file: type up a list of commands in a “do-file”, essentially a computer programme, and execute the do-file.

Starting the code

- [Optional] Start a log file
- Clear the workspace.
- Load the data...
or generate your own.
- Examine, plot and [optionally, if needed] transform the data.
- Do the time series analysis.
- [Optional] Close the log file.

Log file

- We can record everything we do (both in command window and do file).
 - could be useful if we write commands directly into the command window rather than using do file
- Type
log using *path\filename.log* , replace text
- At the end type
log close

Help

- Four useful ways to look for help:
 - 1 type `help command`
 - 2 type `search command`
 - 3 use dialogue box
 - 4 google the command

Loading data

- Stata data sets usually identified with a `.dta` suffix
- ASCII data sets or flat files usually has an extension `.raw` (in Stata)
- Excel spreadsheets and other files can also be read
- Sometimes it is easier to paste data into the Stata editor and save
- Stata data set files read faster and can contain any labels or other information

Loading data: Example

- Consider the ASCII file `gdpq.prn` containing data on the US quarterly real GDP for the period 1954q1-2007q3
- Set the working path to the file:

```
. cd c:\Stata\
```
- To load the variable `gdp.prn` into Stata, use `infile` command

```
. infile gdp using gdpq.prn
```
- To save the data as a Stata datafile (with default extension `.dta`) write

```
. save gdpq_data, all
```

it saves data to file `gdp_data.dta` in our working directory.
- To overwrite an already existing file add option `replace` as in

```
. save gdpq_data, all replace
```


Examining the data

- To calculate descriptive statistics of data set use the `summarize` command
 - . `summarize` to summarize all variables in the dataset
 - . `summarize gdp gdp2` to summarize only selected variables
- Use option `, detail` to obtain more descriptive statistics (percentiles, kurtosis, skewness and so on)
- To list all observations for GDP use command `list gdp`

Time Series in Stata

- Stata has a very particular set of functions that control time series commands
- After we loaded the data we can use these commands for our time series analysis...

but before doing it we need to declare a dataset to be time-series data with command `tsset`, e.g.

```
tsset datevar
```

- We can either use built in commands or write equations/formula on our own.

Time series

- To use the data for time series analysis we need it to tell Stata
- If there already exists variable (*date_variable*) in the dataset that corresponds to time index (e.g. date index) we declare it with the command

```
tsset date_variable
```

- If there is no such variable or we do not want to use it we must construct the time variable.
- We need to know:
 - what the date is for the first observation and
 - the frequency of the data (daily, weekly, quarterly or annual)

- Examples:

```
generate time = y(1991)+_n-1          — for annual data starting in 1991
format time %ty                       — to set the format of time variable to annual
generate time = q(1954q1)+_n-1       — for quarterly data from 1954Q1
format time %tq                       — to set the format of time variable to quarterly
generate time = m(1971m10)+_n-1      — for monthly data from 10/1971
format time %tm                       — to set the format of time variable to monthly
```


- Finally, we need to declare the time series variable

```
tsset time
```

Graphing

- With time series data, it is always a good idea to graph the data
- To do a simple line graph use `twoline` command
- Plotting our variable against time is done by the command

```
twoway line gdp time, title("US real GDP")
```



- The graph can be saved as Stata graph (*.gph*) or exported (e.g. as *.pdf*)

```
graph save gdp.gph or graph export gdp.pdf
```

Graphing

- We can plot more than one series on one plot use.

- Example: adding a trend line

- 1 Estimate a time trend for gdp: $gdp_t = c + t \times time_t + \varepsilon_t$


```
regress gdp time
```

- 2 Take \widehat{gdp}_t

```
predict gdp_trend
```

- 3 And plot both series: gdp and estimated time trend

```
twoway (line gdp time) (line gdp_trend time), title("US real  
GDP") legend(label(1 "real GDP") label(2 "trend"))
```



Useful commands

- Once we defined time variable there are some useful Stata expressions
- For lags and leads, use the *L.varname* (to lag) and *F.varname* (to lead) commands

$$L.gdp = gdp(t-1) \quad \text{and} \quad L2.gdp = gdp(t-2)$$

$$F.gdp = gdp(t+1) \quad \text{and} \quad F2.gdp = gdp(t+2)$$

- For differencing the data use *D.varname* command to take the first difference, *D2.varname* to take the double difference (difference in difference), etc...

$$D.gdp = gdp(t) - gdp(t-1)$$

$$D2.gdp = gdp(t) - gdp(t-1) - (gdp(t-1) - gdp(t-2)) = gdp(t) - 2gdp(t-1) + gdp(t-2)$$

- For seasonal differencing, the *S.varname* command is similar to the *D.varname* but the difference is always taken from the current observation to the $n - th$ observation:

$$S.gdp = gdp(t) - gdp(t-12) \quad \text{and} \quad S12.gdp = gdp(t) - gdp(t-12)$$

Making data stationary

- The series for real GDP is clearly non-linear and non-stationary.
- To make it linear we can take $\log(GDP)$

```
generate lgdp = log(gdp)
```

- We can generate first difference series as

```
generate dlgdp = d.lgdp
```

or we could use

```
generate ggdp = d.gdp/l.gdp
```



ACF, PACF, Q-test

- To see correlogram, i.e. table of autocorrelations and partial autocorrelation use command

```
corrgram varname, lags(x),
```

where x to number of lags for which we compute it.

- To plot ACF use

```
ac varname, lags(x)
```

- To plot PACF use

```
pac varname, lags(x)
```

- The Q-test for randomness is provided by

```
wntestq varname, lags(x)
```


ARMA estimation

- The basic syntax for an ARMA(p,q) model is

```
arima varname, ar(1/p) ma(1/q)
```

or

```
arima varname, arima(p, 0, q)
```

- For pure AR(p) or MA(q) mode we can use

```
arima varname, ar(1/p)
```

or

```
arima varname, arima(p, 0, 0)
```

- We could also write it as

```
arima varname, ar(1 2 ... p)
```

- Writing only

```
arima varname, ar(p)
```

would estimate only

$$y_t = \alpha + \phi_p y_{t-p} + \varepsilon_t$$